

# LCEL

Lee County Environmental Laboratory  
 60 S Danley Dr Unit 2  
 Fort Myers, FL 33907  
 Phone: (239) 533-8600

## Analysis Request & Chain of Custody Record

**LCEL does not accept any samples used for evidentiary purposes**

Lab Certification: E45049  
 LCEL\_F\_COC\_20150828R1

**MAKE CHECKS PAYABLE TO: LEE COUNTY B.O.C.C**

Emails From: @ Leegov.Com

### Mailing/Report Information

### Billing/Invoice Information

Page 1 of 1

<b>Name:</b>		<b>Name:</b> SAME		<b>Matrix Codes:</b>		<b>Preservative Codes:</b>				
<b>Email:</b>		<b>Email:</b>		DW-Drinking water		NP-No Preservative				
<b>Address:</b>		<b>Address:</b> SAME		GW- Ground water		N-Nitric Acid				
				WW-Waste water		S-Sulfuric Acid				
				SW-Surface water		HCL-Hydrochloric Acid				
				WWS-Wastewater Sludge		NAOH-Sodium Hydroxide				
<b>Phone/Cell:</b>		<b>Phone/Cell:</b>		S-Sediment		ST-Sodium Thiosulfate				
		( )		O-Other		NH - Ammonium chloride				
						O-Other				
<b>Sample Collector(s) (please print):</b>			<b>Sample Collector Signature:</b>			<b>Test/Analyses Required</b>				
<b>Relinquished By: (signature)</b>	Date	Time	<b>Received By: (signature)</b>							
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Sample(s) in wet ice <input checked="" type="checkbox"/> Yes or <input type="checkbox"/> No? <b>Temperature °C:</b>						Preservatives (see codes)				
<b>Collection</b>	<b>Sample Description &amp; Location</b>			<b>Matrix</b>	<b># of Sample Containers Submitted</b>				<b>LCE Lab #</b>	
<b>Date</b>	<b>Time</b>				<b>(see codes)</b>					

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)  
OR THEY MAYBE QUALIFIED\***

\*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.